

Fig. 1D




Fig. 1E




Fig. 1F

TECHNICAL DRAWING
RECEIVED

OCT 24 2002

RECEIVED





Fig. 1A




Fig. 1B





Fig. 1C

RECEIVED
06/24/2009
TECHNOLOGY CENTER 2500



28

Fig. 1G





Fig. 1H



RECEIVED

OCT 24 2002

TECHNISCHE UNIVERSITÄT BERLIN 2000





Fig. 2A



RECEIVED
OCT 24 2002
TECHNICAL JOURNAL 2000






Fig. 7



TECHNISCHE UNIVERSITÄT KÖLN 2600

RECEIVED
OCT 24 2002





Fig. 5A




Fig. 5B




Fig. 5C

RECEIVED
OCT 24 2002
TECHNICAL DIVISION, U.S. PATENT & TRADEMARK OFFICE





Fig. 6A

1000300074 1022002




Fig. 6B

RECEIVED
OCT 24 2002
TECHNISCHE UNIVERSITÄT BERLIN 2560





Fig. 7




Fig. 8

RECEIVED
OCT 24 2002
TECHNICAL CENTER 2800










Fig. 9

10035574 in 102202

RECEIVED
OCT 24 2002
TECHNOLOGY CENTER 2800



10039574-102202



RECEIVED
OCT 24 2002
TECHNOLGY CENTER 2600





Fig. 11A




Fig. 11B




Fig. 12

RECEIVED
OCT 24 2002
TECHNOLUX INTEGRATED 2800





Fig. 3

1 0 0 2 0 0 1 1 1 0 0 2 0 0 2

RECEIVED
OCT 24 2002
TECHNOLGY CENTER 2800



07043-095001

10 / 11




FIG. 14A




FIG. 14B




FIG. 15A







FIG. 15B

RECEIVED
OCT 24 2002
TECHNOLOGY CENTER 2600



07043-095001

11 / 11



RECEIVED
OCT 24 2000
TECHNOLGY CENTER 2800

+

RECEIVED
OCT 24 2000
TECHNOLGY CENTER 2800







FIG. 17

RECEIVED
OCT 24 2002
TECHNOLGY CENTER 2800

O I P E JC10
JUL 22 2002
PATENT & TRADEMARK OFFICE



Force-Velocity
regression
 $R^2: 0.7 \text{ to } 0.9$
 $P < 0.0001$

△ Array 7317
■ Array 7318
● Array 8095

FIG. 18

2022 RELEASE UNDER E.O. 14176

TECHNOLGY CENTER 2000
OCT 24 2002

RECEIVED